




Sony Vaio Pro 13 Internal Battery Replacement

This guide outlines the steps required to replace the internal battery.

Written By: Alex R



INTRODUCTION

This guide shows how to replace the battery on the Sony Vaio Pro 13. Special care must be taken when handling Lithium-Ion batteries, avoid puncturing or bending the battery pack. Always recycle your old battery pack according to your local regulations.



TOOLS:


- [Phillips #00 Screwdriver](#) (1)
 - [iFixit Opening Tools](#) (1)
 - [Phillips #0 Screwdriver](#) (1)
-

Step 1 — Bottom Cover





- Remove cover for the extended battery connector. Use your finger nail or a plastic opening tool to remove it.
- Remove the two rubber feet at the back of the computer, these can be removed in the same way.

Step 2




- Remove the four 5.6mm Philips #00 screws located at the top of the computer.
- Remove the eight 3.6mm Philips #00 screws on the base of the computer.

Step 3





- Using a plastic opening tool, pry the plastic casing away from the base of the computer, the remaining clips around the edges can be released using your hands.
- ⓘ Leave the side with the USB and audio port until last, then slide the case out and off, so the audio port doesn't get caught.

Step 4 — Internal Battery



- Once the bottom cover is removed, peel away the piece of tape located near the fan and heat sink assembly.

Step 5



- Remove the three 4.2mm Philips #0 screws located at the top of the battery.
- Simply lift the battery away from the computer.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-11-19 10:31:52 PM.